

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Attorney Docket No. 03-769 / 02098US)

In the Application of:)	
)	
Enno Adema)	Examiner: Christine E. Foster
)	
U.S. Patent No. 7,923,217)	
Serial No.: 10/652,372)	Art Unit: 1641
)	
Filing Date: 08/29/2003)	Confirmation No.: 1588
)	
For: Improvement of Specificity in the)	
Determination of Antithrombin)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CORRECTION OF ISSUED PATENT AND
FOR REPRINTING OF ISSUED PATENT**

The above-referenced patent issued in the name of Adena Enno, which is incorrect. The inventor's correct name, as shown on the oath, the filing receipt, and every other paper filed with the application, is Enno Adema.

The Office is requested to enter the accompanying Certificate of Correction pursuant to 35 U.S.C. § 255 and 37 C.F.R. § 1.322.

The requested correction does not constitute new matter, nor does it require substantive examination of the file. The Assignee respectfully submits that the above-mentioned error was the mistake solely of the Patent Office. Therefore, the Patentee believes that no fee is due. If any fee is due, the Office is authorized to charge any underpayment to Deposit Account No. 13-2490.

In addition, the Office is requested to reprint the patent in light of the mistakes in the inventor's name in accordance with 37 C.F.R. § 1.322(b)

Please contact the undersigned with any questions.

Respectfully submitted

McDONNELL BOEHNEN HULBERT & BERGHOFF LLP

/Patrick Gattari/

Patrick Gattari
Reg. No.: 39,682

300 South Wacker Drive
Chicago, Illinois 60606-6709
Tel: 312 913 0001
Fax: 312 913 0003